FOUNder

EagleRIP Flexo Ganging Made Easy

www.foundereagle.com

Founder Information Industry is a leader in the information technology, providing comprehensive solutions, including IT services, software, hardware, and data operation.

Beijing Founder Electronics CO., Ltd.

灵活的RIP后拼版



- 自动拼版
- 手动拼版
 - 叠铺
 - 叠拼和裁切
 - 旋转
 - 定位和对齐

自动拼版



• 高效节省版材

	🧾 Combine	Page View								
Device Setup				2	5	•				🗹 Enab
Device Help	Page List	Surface Lis	t	2	cm 5 10	15 20 25	30 35 40	45 50 55 6	0 65 70	75 80 85
P-≦ TIFF	E	1	#1.0- 12-00	cm	+ +	••••	* * 1 1 1		••-	
P III Effects		<u>6</u>	100			× 1		1		
— 🔰 Mirror&Negative	nestinter3.	.pdf_1_K	1	10-			1	•	ę.	
— 🔲 Margin	8.86*11	1.34 inch, Surfac	e14	15-				+ +	+	
- E Padding	nestinter3.	.pdf 1 C		20-		4	1	3	go 🚽	
P→ Media	8.86*11	•	e14	25-		C	, N	1	K	
— 💽 Media Size	nestinter3.	.pdf_1_M		30-	- • • • • • • • • • • •					
	8.86*11	1.34 inch, Surfac	e14	35-	1			52		
Ganging	nestinter3.	.pdf_1_Y		40-4		3		* *	+	
Ganging Type Color First	8.86*11	1.34 inch, Surfac	e14	4 50 -		હ				
No Ganging Page Margin(mm): Enable X direct Same Job X direction 5 Same Job X direction 5	nestinter3.	.pdf_1_PANTO	NE Gree	55-		C1			\$2	
Any Job Y direction 5	8.86*11	1.34 inch, Surfac	e14	► 60 -	+	<u>, 1C</u>	+	<u>+</u>	32	
Reject oversized job 💽 🖻 Clear buffer on Completi	nestinter3.	.pdf_1_C=0 M=	47 Y=99	65-	200			da m		
	8.86*11	1.34 inch, Surfac	e14	70-	6	- Del	\$ X	a, 6		
Cancel	nestinter3.	.pdf_1_PackCu	it 👘	75-	alta					
	8.86*11	1.34 inch, Surfac	e15 🎴	80-						
	lable1.pdf	_1_K		85-	00	ළම	୍ ଅତ୍ତ	S. C No		
	11.5*6.	3 inch, Surface1	4	90-						



FOUNder

x

x

🚔 cm







叠铺





• 旋转

手动拼版



Before

After



Page 7

手动拼版







手动拼版







应用场景

应用场景1

- EagleRIP:
 - 处理PS/PDF文件/1位TIFF文件
 - 点阵拼版
 - 生成1位大版文件



应用场景 2



- EagleRIP A:
 - 处理PS/PDF文件,生成1位TIFF文件
- EagleRIP B:
 - 对EagleRIP A生成的1位TIFF或第三方RIP生成的1位TIFF进行拼版, 生成1位大版文件





操作指导





- 如何在应用场景 1中设置EagleRIP
- 如何在应用场景 2中设置EagleRIP
- 如何使用手动拼版
- 如何使用色面优先功能



FOUNder

在EagleRIP中设置拼版参数
 – EagleRIP中的模板设置

EagleRIP	And the second second	State Supervise	(segregital), in part through	the state of the s			
Action Property Preferences H	Action Property Preferences Help 拖拽上传						
S S					EagleRIP Flexo		
Settings Queues	Template List Help						
Setup			Template Man	ager			
	Name	Device Name	Color Mode	Resolution	Property		
1 3	TIFF	TIFF	CMYK	300.0*300.0	System		
	WinPrint	WinPrint	Gray	600.0*600.0	System		
	Ganging-job	TIFF	CMYK	4000.0*4000.0	User		
Template Manager							
	4						
Device Manager	Þ						
Input Manager							
As a							
Tool Box				<u> </u>	Add 🦿 🚺 Edit 🦿 📜 😽 Del 🌖		

- 在EagleRIP中设置拼版参数
 - 在模板中设置RIP参数,若需处理1位TIFF文件,需确保分辩率一 致。

RIP Setup				
Screen RIF	Color Mar	nagement Mark	Misc	Help
Resolution 4000.0*4	1000.0	~	Color Mode	СМҮК 💌 КСМҮ
X	,000\ Y	4,000	Pixel Bits	Halftone
🗹 Override frequen	cy in job 🗹 Ove	rride dot shape in job	Halftone Levels	256
🗹 Override angles i	n job 🗹 Prei	cision Screening	📒 Zone Screen Firs	t
📃 Miracle Cell				
Miracle Cell				_
Size(pixel) (0	ensity(%) [0	End Value(%) 0	Type Single	×
Dot Size				
Shadows dot size(um)) (O Higi	hlights dot size(um) 🛛		
Separation Setup				
Output	Separation	Dot Shape	Frequency	Angle
	Cyan	FlexoRound 1	40.0	82.5
✓	Magenta	FlexoRound 1	40.0	52.5
	Yellow	FlexoRound 1	40.0	7.5
	Black	FlexoRound 1	40.0	22.5
Spot Color	Custom			Edit Set
Calibration Curve	Default			Preview
Intended Press Curve	Default			Preview
Actual Press Curve	Default			Preview
	(😪 ок —) 🕞	Cancel	

- 在EagleRIP中设置拼版参数
 - 在模板中设置"拼版方式"为"任意拼版"



FOUNder

• 在EagleRIP中设置拼版参数 - 在模板中设置介质尺寸

E Device Setup	×
Device Help	
— 🗐 Margin	4
– 📰 Padding	
Ganging	i i
P Media	
- Media Size	
Advanced	
Name Convention	4
- Madia Siza	
Media Size	
Media Size Custom 💌	
Width 420 mm Height 594 mm	
🕢 🗹 OK 🔵 📿 Cancel	

FOUNder

• 在EagleRIP中设置拼版参数

- 在模板中为1位大版文件设置命名规则



- 在EagleRIP中通过打开文件的方式提交PS/PDF文件进行 拼版
 - 设置"文件类型"为"惯用文件"

EagleRIP		
ction Fonts Property Preferences Help		
🚊 🚊 🛓 😤	2 🔀 🔟 🗊 🛈	
Settings Queues Waiting to	Print Help	
Waiting to RIP(0)	nning 😣 Abort Surface List	
Print Job nestinter nestinter		
Printed(1 nestinter: Printed(1 nestinter: ne	Dot2.eps label3.pdf Pc-fn10-e-com.ps Dot2.pdf.pdf label2.pdf Pc-fn10-e-sep.ps Dot4.eps lable2.pdf Pc-illCs.pdf DRUP1-2.pdf LHF_test-image.pdf Pc-illCs-e-com.ps DRUP1-2.com.pdf LHF_test-v2.pdf Pc-pm7-e-com.ps DRUP4-5.pdf LHF_test-v2.pdf Pc-pm7-e-com.ps DRUPAnewsletter_FINAL.pdf Mac-quk6-e-com.ps Pc-pm7-e-sep.ps FAM.pdf mac-quk6-e-sep.ps RIPSample1.pdf GrayScal.ps Pc-cdr12.eps RIPSample1-spot2 File Name: RIPSample1.pdf Files of Type: Common Files(*.ps,*.pdf,*.eps,*.prn,*.tif,*.tiff,*.jpg,*.jpeg,*.jfif,*.jif) Template: Ganging-job-PDF Setup Setup Setup Setup	
ot Angle: 15.0 45.0 90.0 75.0		🖪 Pa



- 在EagleRIP中通过打开文件的方式提交1位TIFF文件进行 拼版
 - 设置"文件类型"为"1-Bit TIFF直通"

EagleRIP	Sand Service State Service Test Service States	
Action Fonts Property Preferences Help		
🚊 🚊 🐁	🛃 🛃 🔟 🗊 🛈	EagleRIP Flexo
Settings Queues Wa	iting to Print Help	
Waiting to RIP(0)	🕽 Running 🛛 😸 Abort 🖉 Surface List	
Print	Job Name(4) Page Size Time Status	
nes"	Open	
nes nes	Look in: 🚘 EagleRIP 💽 🗟 🛱 📰 🚍	
	C2RIPSample2-Iw2_P1_C.tif CF C2RIPSample2-Iw2_P1_K.tif CF C2RIPSample2-Iw2_P1_M.tif Dc C2RIPSample2-Iw2_P1_S(PANTONE 2727 C).tif Dc C2RIPSample2-Iw2_P1_S(PANTONE HEXACHROME Orange C 1).tif Dc C2RIPSample2-Iw2_P1_S(PANTONE HEXACHROME Orange C 1).tif Dc C2RIPSample2-Iw2_P1_Y.tif Dc CRIPSample2-Iw2_P1_Y.tif Dc CRIPSample2-Iw_P1_C.tif Dc CRIPSample2-Iw_P1_K.tif Dc CRIPSample2-Iw_P1_K.tif Dc CRIPSample2-Iw_P1_M.tif Dc CRIPSample2-Iw_P1_S(PANTONE 2727 C).tif Dc	
nes nes nes gan gan	File Name: C2RIPSample2-lw2_P1_C.tif Files of Type: TIFF Files(*.tif:1-Bit TIFF Without Ripping) Template: Ganging-job-1bitTIFF	
nan Dot Angle: 15.0 45.0 90.0 75.0 Page Size: 7.8933 * 10.1333 inch Media	OK Cancel	4

- 在EagleRIP中通过热文件夹的方式提交PS/PDF文件进行 拼版
 - 设置热文件夹

EagleRIP	states inpraction	One in an income	Summer Print	-	
Action Property Preferences	Help				
S S S					EagleRIP Flexo
Settings Queues	Input List	Help			
Setup			Input Mana	ger	
	Name	Туре	Template	Enable	Status
Template Manager	4 Ad	d nput Name Ganging-PDF			
Device Manager	» Ir	nput Type Hot Folder	PDF		
Input Manager		Setup C	OK Cancel		

- 在EagleRIP中通过热文件夹的方式提交PS/PDF文件进行 拼版
 - 设置"输入文件夹"以便自动接收PS/PDF文件
 - 设置文件类型为 "PS Files" 和 "PDF Files"

Hotfolder setup	140 140	×
Input Folder	C:\PDFPSfiles	Browse
	😑 Include Subfolder	
Finished file is	Deleted	~
Finish Folder		Browse
Error file is	Deleted	~
Error Folder	(Browse
File type	😑 EPS Files 🕑 🕅	DF Files 😑 PRN Files
😑 TIFF Files	🗎 1-Bit TIFF Without Ripping 📒 J	PG Files
		😑 All Files
	С С ОК	Cancel



- 在EagleRIP中通过热文件夹的方式提交PS/PDF文件进行 拼版
 - 在输入管理器中将此热文件夹设为"允许"

EagleRIP	And in case of the local	the International States	Sumble Dancy's	_	
Action Property Preferences H	elp				
Eagle RIP Flexo					
Settings Queues	Input List	Help			
Setup			Input Manager		
	Name	Туре	Template	Enable	Status
	Ganging-PDF	Hot Folder	Ganging-job-PDF		🖲 Run
Tanan lata Managara					
Template Manager					
	4				
Device Manager	Þ				
_					
3					



- 在EagleRIP中通过热文件夹的方式提交1位TIFF文件进行 拼版
 - 设置热文件夹

EagleRIP			Spatistics, Service, No.	A Transfer Manager In	
Action Property Preferences He	elp				
S S S					EagleRIP Flexo
Settings Queues	Input List	Help			
Setup			Input Manager		
	Name	Туре	Template	Enable	Status
	Ganging-PDF	Hot Folder	Ganging-job-PDF		💌 Run
Template Manager	<u>(11</u>				
	Add				
	1	ut Nome	orel		
		ut Name (Ganging-Tbit)	IFF		
Device Manager	Inp	ut Type Hot Folder	v		
~			i de la companya de la		
	Inp	ut Template Ganging-job-	1 bitTIFF 🛛 💽		
Input Managar		🚺 😟 Setup 🌖 💽 🛫	OK 🔵 🚺 🧭 Cancel		
input Manager					
B	_				
12					
Vier -					

- 在EagleRIP中通过热文件夹的方式提交1位TIFF文件进行 拼版
 - 设置"输入文件夹"以便自动接收1位TIFF文件
 - 设置文件类型为 "TIFF Files" 和 "1-Bit TIFF直通"

Hotfolder setup		×
Input Folder	CMBitTIFF	Browse
	😑 Include Subfolder	
Finished file is	Deleted	~
Finish Folder		Browse
Error file is	Deleted	
Error Folder		Browse
File type		
😑 PS Files	😑 EPS Files 📒	🕽 PDF Files 😑 PRN Files 🗌
🗹 TIFF Files	🗹 1-Bit TIFF Without Ripping 📒	JPG Files
		😑 All Files
	😪 ок 🔪 📿 🥥	Cancel



- 在EagleRIP中通过热文件夹的方式提交1位TIFF文件进行 拼版
 - 在输入管理器中将此热文件夹设为"允许"

EagleRIP					
Action Property Preferences H	lelp				
S S					EagleRIP Flexo
Settings Queues	Input List He	lp			
Setup			Input Manager		
	Name	Туре	Template	Enable	Status
	Ganging-PDF	Hot Folder	Ganging-job-PDF		😁 Run
	Ganging-1bitTIFF	Hot Folder	Ganging-job-1 bitTIFF		💌 Run
Tamplata Managay					
Template Manager					
	4				
Device Manager	D-				
				8	
3					
				8	



- 在计算机A上设置EagleRIP A
 - 在EagleRIP A上提交PS/PDF文件,生成1位TIFF文件
- 在计算机B上设置EagleRIP B
 - 在EagleRIP B上接收1位TIFF进行拼版
 - 通过打开文件或热文件夹的方式提交1位TIFF





- 计算机A
 - 设置EagleRIP A, 生成1位TIFF文件

FOUNder

• 计算机A

- 在EagleRIP A上进行模板设置

📕 EagleRIP					– 🗆 X
Action Property Preferences H	elp				
S S					EagleRIP Flexo
Settings Queues	Template List Help]			
Setup			Template Man	ager	
	Name	Device Name	Color Mode	Resolution	Property
	TIFF	TIFF	СМҮК	300.0*300.0	System
	WinPrint	WinPrint	Gray	200.0*200.0	System
	TiffOutput	TIFF	СМҮК	4000.0*4000.0	User
Template Manager					
	• 				
Device Manager	Þ				
Input Manager					
15					
I OOI BOX					🕂 Add 🔰 🔠 Edit 🔵 🛛 🗱 Del 🌖

FOUNder

• 计算机A

- 在模板中设置分辩率和其他RIP参数

RIP Setup					×
Screen RIF	Color Ma	nagement Mark	Misc	Help	
Resolution 4000.0*4	000.0	~	Color Mode	CMYK 💌 K	сму 💽
X 4	,000 🕀 Y 🦲	4,000	Pixel Bits	Halftone	
🗹 Override frequent	ay in job 🗹 Ov	Halftone Levels	256		
Override angles i	n job 🗹 Pre	cision Screening	😑 Zone Screen Firs	st	
Miracle Cell Miracle Cell Size(pixel) 0 D	ensity(%) 0	End Value(%) 0	Type Single		
-Dot Size Shadows dot size(um)	0 Hig	ghlights dot size(um) 🚺			
Separation Setup			_		
Output	Separation	Dot Shape	Frequency	Angle	
	Cyan Maganta	FlexoRound 1	40.0	82.0	
	Yellow	FlexoRound 1	40.0	7.5	
Ø	Black	FlexoRound 1	40.0	22.5	
Spot Color	Custom			Edit	Setup
Calibration Curve	Default			Previ	ew
ntended Press Curve	Default			Previ	ew
Actual Press Curve	Default			Previ	ew
		🥣 ок 🔵 🧲	Cancel		

FOUNder

• 计算机A

- 在模板中设置"拼版方式"为"禁止拼版"



- 计算机A
 - 在模板中设置1位TIFF的输出路径





- 计算机A
 - 在EagleRIP A中提交PS/PDF作业

FOUNder

• 计算机A

- 设置"文件类型"为"惯用文件"

📕 EagleRIP					- 🗆 ×
Action Fonts Property Preferences Help					
🚊 🙇 🛓 🐁	2 🔀 🗋 🖀	0			EagleRIP Flexo
Settings Queues Waiting to	Print Help				
Waiting to RIP(0)	ning 🛛 💌 Abort 💮 Surface List				
Print Job Na	ime(0) Page Size	Ti	me	Status	
			1		
	Open	×			
	Look In: 🔁 EagleRIPsample				
4	bleedface.ps Collibration Toot off	Pc-illcs-e-sep.ps			
	Dot ens	ndf Pc-pm7-e-sen ns			
	Dot2.eps	RIPSample1.pdf			
Runt	Dot2pdf.pdf 🗌 Mac-quk6-e-con	.ps 🔲 RIPSample2.pdf			
Duiste ((07)	📄 DRUP1-2.pdf 🛛 📄 Mac-quk6-e-sep	ps 📄 Seybold-Trap.pdf		Otatua	
Printed(27) Dot2 ens. 1	📄 DRUP1-2-com.pdf 👘 📄 Pc-fh10-e-com.p	s 📄 SPOTTEST.pdf	18	Status	
Dot2.eps_1	📄 DRUP4-5.pdf 👘 📄 Pc-fh10-e-sep.p	3	05/05 10:10:55	 Finished 	
Dot2.eps 1	DRUPAnewsletter_FINAL.pdf Pc-illCS.pdf		05/05 10:10:55	V Finished	
Dot2.eps_1	📄 FAM.pdf 🛛 📄 Pc-illcs-e-com.p	5	05/05 10:10:56	🋫 Finished	
DRUP1-2.p			05/05 10:10:59	🛫 Finished	
DRUP1-2.p			05/05 10:11:01	🋫 Finished	
DRUP1-2.p	File Name: GravScalins		05/05 10:11:02	Y Finished	
DRUP1-2.p			05/05 10:11:04	Y Finished	
DRUP1-2.p	Files of Type: Common Files(*.ps,*.pdf,*.eps,*.prn,*	.tif,*.tiff,*.jpg,*.jpeg,*.jfif,*.jif) 🛛 💌	05/05 10:11:04	Finished	
Ditor 1-2.p			00003 10:11:00	1 misneu	1
Separation: Black	Template: TiffOutput	🖌 🚺 🥸 Setup			4
Print Job Name: Dot2pdf_C00_P1_K_P1_K_P1_K_P Start Time: 2017/05/08 13:04:31 End Time: 2017/05/08 13:04:31		👻 OK 🌖 🔗 Cancel			



• 计算机B

- 设置EagleRIP B接收1位TIFF文件并进行拼版

FOUNder

• 计算机B

- 在EagleRIP B上进行模板设置

📕 EagleRIP						×
Action Property Preferences H	lelp					
😫 😼 😫					ZEagleRIP Fle	exo
Settings Queues	Template List Help					
Setup			Template Man	ager		
	Name TIFF	Device Name TIFF	Color Mode CMYK	Resolution 300.0*300.0	Property System	
	WinPrint	WinPrint	Gray	200.0*200.0	System	
	TiffGanging	TIFF	CMYK	4000.0*4000.0	User	
Template Manager						
	4					
Device Manager	Þ					
Input Manager						
A Contraction of the second se						
Tool Box					🕂 Add 🔰 🔛 Edit 🔰 🏾 🗱 Del	
			▼			

FOUNder

• 计算机B

- 在模板中设置和EagleRIP A一致的分辩率

RIP Setup						Х
Screen RIF	Color Ma	nagement Mark	Misc	Help		
Resolution 4000.0*4	000.0	~	Color Mode	СМҮК	💌 КСМҮ	~
X 4	,000 🕀 Y 🦲	4,000	Pixel Bits	Halfto	ne	~
🗹 Override frequenc	cy in job 🗹 Ove	rride dot shape in job	Halftone Levels	256		
Override angles i	n job 🗹 Pre	cision Screening	📃 Zone Screen Firs	st		
😑 Miracle Cell						
Miracle Cell				_		
Size(pixel) (O D	ensity(%) (0	End Value(%) 0	Type Single	~		
Dot Size						
Shadows dot size(um)	0 Hig	hlights dot size(um) 🛛				
Separation Setup						
Output	Separation	Dot Shape	Frequency	Ang	jle	
	Cyan	FlexoRound 1	40.0	82.	5	
	Magenta	FlexoRound 1	40.0	52.	5	
	Yellow	FlexoRound 1	40.0	7.5		
	Black	FlexoRound 1	40.0	22.	5	
Spot Color	Custom				Edit Set	tup
Calibration Curve	Default			▼ (Preview	
ntended Press Curve	Default			•	Preview	
Actual Press Curve	Default			▼ (Preview	
	(🥣 ок —) 🧲	Cancel			



• 计算机B

- 在模板中设置"拼版方式"为"任意拼版"



FOUNder

计算机B
 - 在模板中设置介质尺寸



- 计算机B
 - 在模板中为1位大版文件设置命名规则





• 计算机B

– 在EagleRIP B中通过打开文件的方式提交1位TIFF



• 计算机B

- 设置"文件类型"为"1-Bit TIFF直通"

📕 EagleRIP						– 🗆 X
Action Fonts Property Preferenc	es Help					
🚊 🚊 🛓	🕺 🛃	2 🔀 📋 🗄				EagleRIP Flexo
Settings Queues	Waiting to Print	Help				
Waiting to RIP(0)	Running	Abort Surface Lis	t			
	Print Job Name(0)	Page S	3ize Tim	e	Status	
		Open		×		
		Look In: 🧰 test	💌 👒 🗃 🗰			
	4	1				
	-					
	Running					
	Printed(27)			and the second se	Status	
	Dot2.eps_1_K	-		10:10:55	Y Finished	1
	Dot2.eps_1_M	-		0:10:55	Y Finished	
	Dot2.eps_1_Y			0:10:56	Y Finished	
	DRUP1-2.pdf_1_K	-		10:10:59	Y Finished	
	DRUP1-2.pdf_1_C	File Name:			Y Finished	
	DRUP1-2.pdf_1_W	rile Marrie.		10:11:02	V Finished	
	DRUP1-2.pdf 2 K	Files of Type: TIFF Files (*.tif:1-Bit T	IFF Without Ripping)	0:11:04	V Finished	
	DRUP1-2.pdf_2_C			0:11:06	👻 Finished	5
Senaration: Black		Template: TiffGanging	Setup	9	~	1.4
Deparation. Diack				A		1
Print Job Name: Dot2pdf_C00_P1_K	_P1_K_P1_K_P1_K_P1					
Start Time: 2017/05/08 13:04:31						
End Time: 0047/05/00 40:04:04						





- 计算机B
 - 在EagleRIP B中通过热文件夹的方式提交1位TIFF



• 计算机B - 设置热文件夹

📕 EagleRIP					- 🗆 X
Action Property Preferences H	lelp				
S S					EagleRIP Flexo
Settings Queues	Input List Help				
Setup			Input Manager		
	Name	Туре	Template	Enable	Status
Template Manager					
	4				
	1	Add	×		
Device Manager	8	Innuthions Tit Country			
		input Name Tim Ganging			
		Input Type Hot Folder	~		
Input Manager		Input Template TIFF	×		
1. Alexandre and the second se		Setup Setup	OK Cancel		
Tool Box					Add Edit Edit



- 计算机B
 - 设置"输入文件夹"以便自动接收1位TIFF文件
 - 设置文件类型为 "TIFF Files" 和 "1-Bit TIFF直通"

Hotfolder setup		×
Input Folder	NComputerAltest	Browse
	😑 Include Subfolder	
Finished file is	Deleted	
Finish Folder		Browse
Error file is	Deleted	
Error Folder		Browse
File type		
E PS Files	😑 EPS Files 📃 PDF File	es 📃 PRN Files
🗹 TIFF Files	🗹 1-Bit TIFF Without Ripping 📃 JPG File	s
		📒 All Files
	OK Cancel)



• 计算机B

- 在输入管理器中将此热文件夹设为"允许"

📕 EagleRIP					– 🗆 X
Action Property Preferences H	elp				
S S S					EagleRIP Flexo
Settings Queues	Input List Help				
Setup			Input Mana	iger	
	Name	Туре	Template	Enable	Status
	Tiff Ganging	Hot Folder	TIFF		C Run
Template Manager					
	4				
Device Manager	Þ				
Input Manager					
Also and a second					
Tool Box					Add 🛛 🔛 Edit 🖉 😫 Del
Separation: Black			<u> </u>		4

如何使用手动拼版



- 在拼版显示窗口中不勾选"允许自动拼版"
- 建立新的大版、编辑已存在的大版、删除小页、手动拖拽
 小页到大版上、旋转、定位、锁定、成组、对齐、裁切、
 叠拼、叠铺等



如何使用色面优先功能



色面优先:只有同一页作业的相应色面允许拼在大版上的同一位置

Device Setup	
Device Help	CombinePage View
P-S TIFF	
P I III Effects	
- U Mirror&Negative	Page List Surface List Con 5 10 15 20 25 30 35 40 45 50 55 60 65
— 🔲 Margin	
– 🗊 Padding	hyou4 13_07chukainetwaku_130 10 10
Ganging	9.28*12.69 inch, Surface10 15
🗣 🕪 Media	package1.pdf_1_KCMY 20-
— 💌 Media Size	8.67*11.73 inch, Surface10 25 - 25 - 25 - 25 - 25 - 25 - 25 - 25
Copies	AltonaTech_1v2_pt2com_x3.pdf 30
	8.21*11.59 inch, Surface10 35
Ganging	Seybold-Trap.pdf_1_KCMY
Ganging Type 🗹 Color First	8.51*11 inch, Surface10 45
🔘 No Ganging Page Margin(mm): 🗹 Enable X direc	AltonaMeasure_1v1_pt4com_x3 < 50
🕥 Same Job 🛛 X direction 5 🛛 🗹 Enable Y direc	12.16*8.77 inch, Surface10 55 🚛 🚛 🔤 📷 🛲
Any Job Y direction 5	030.A3-□□.pdf_1_KCMY
Reject oversized job 💽 💽 Clear buffer on Completi	11.75*8.31 inch, Surface10 65
	75839_H.pdf_1_KCMY 70-
	12.84*6.03 inch, Surface10 75 量 2010 2010 2010 2010 2010 2010 2010 20
Cancel	

www.ioundereagie.com

www.foundereagle.com

Thanks

Beijing Founder Electronics CO., Ltd.

F

No.9, 5th Street, Shangdi Information Industry Base Haidian District, Beijing 100085, China. Tel: +86 10 6298 1440 Fax: +86 10 6298 1440