How the timer dongle upgrade to permanent

ElecRoc 5 timer dongle can be upgraded to a permanent one with a license key (*.pkg). Please contact your sales man.

Warning:

1, Only when you need to install the NEW modules, can you run Processor Configuration. Otherwise, if the Processor Configuration appears, as following, you MUST click 🗵 to exit.

5 Server a	nd the Name/IP of	f Computer where th	e dongle is plugged.	-
Default is I	the name of this c	omputer.		
Computer	Name or IP of Ele	cRoc 5 Server		
Name/IP:	2003V5			
Computer	Name or IP of Ele	cRoc 5 Dongle		
Name/IP:	2003V5			
If you use	the default nam	e, Click Next. If yo	u change one of them	l,

2, Exit ElecRoc 5 at first.

3, Be sure the dongle driver was installed on this ElecRoc 5 Server computer, and the dongle was plugged in this computer before running License Manager.

4, DO NOT UNPLUG the dongle from computer, and keep the POWER ON while this tool is working. Otherwise, the dongle has risk of be damaged.

If you have already known the previous important information, you can continue to add modules or functions to your dongle.

STEP 1:

Start License Manager from Start\All Programs\Founder ElecRoc\Configuration Tools\, then click Query button, show as following:

icense Manager		×
Dongle ID:	699500001	Query(Q)
Device ID:	95 19 97 00 00 00 40 6d	
License Key(*.pkg):		Browse(<u>B</u>)
WARNING: 1. Quit ElecRoc 5 Serv 2. This tool is only user installed.	er and Client before running this tool. d on the ElecRoc 5 Server computer with the dongle driver	Update(<u>U)</u>
3. DO NOT UNPLUG t is working. Otherwise, t	ne dongle from computer and keep the POWER ON while this tool he dongle has risk of be damaged.	Close(<u>C</u>)

STEP 2:

When Dongle ID, Device ID shows up, click Browse to find out the license key (*.pkg)

ense Manager		<u>_ </u> ×
Dongle ID:	699500001	Query(Q)
Device ID:	95 19 97 00 00 00 40 6d	
License Key(*.pkg):	\\ibdsr\/PM&Marketing\ElecRoc-Bon\Testing files\PKG\6995	Browse(<u>B</u>)
WARNING: 1. Quit ElecRoc 5 Serv 2. This tool is only used installed.	er and Client before running this tool. d on the ElecRoc 5 Server computer with the dongle driver	Update(<u>U</u>)
3. DO NOT UNPLUG t is working. Otherwise, t	ne dongle from computer and keep the POWER ON while this tool he dongle has risk of be damaged.	Close(<u>C</u>)

STEP 3:

Click Update button, a window shows up, as following:

Aodule information in pa	ackage		
ElecRocMOD Module id: 6a Version: 5.0.0.0 Include EF file nu	ımber:1		Close(<u>C</u>)
Package information -	Spacific usar		95 19 97 00 00 00 40 64
Update scope: Module update type:	Update existing module	Por specific user.	133 13 37 00 00 00 40 00
	Valid permanently	 Major Version:	

STEP 4:

Click Install, an information appears, to continue click Yes, to exit click No.

age information			
odule information in pa	ackage		
ElecRocMOD			Install(])
Module Id: 68 Version: 5.0.0.0			
Include EF file nu	mber:1		Close(<u>C</u>)
Important In	formation		X
Important In	formation date will stop ElecRoc. If you ur	nplug the dongle or the power is (off, maybe the dongle will be distorted.
Important In	formation date will stop ElecRoc. If you ur s process will change the modu	nplug the dongle or the power is a les or functions in the dongle, are	off, maybe the dongle will be distorted. a you sure to continue?
Important In L Up Thi	formation date will stop ElecRoc. If you u s process will change the modul	nplug the dongle or the power is les or functions in the dongle, are Yes <u>N</u> o	off, maybe the dongle will be distorted. a you sure to continue?
Important In	formation date will stop ElecRoc. If you u s process will change the modu	nplug the dongle or the power is a les or functions in the dongle, are <u>Yes N</u> o	off, maybe the dongle will be distorted. a you sure to continue?
Important In Up Thi Package information –	formation date will stop ElecRoc. If you ur s process will change the modu	nplug the dongle or the power is les or functions in the dongle, are Yes <u>No</u>	off, maybe the dongle will be distorted. a you sure to continue?
Important In Up Thi Package information – Update scope:	formation date will stop ElecRoc. If you un s process will change the modul	nplug the dongle or the power is les or functions in the dongle, are Yes <u>No</u> For specific user:	off, maybe the dongle will be distorted. a you sure to continue? 95 19 97 00 00 00 40 6d
Package information – Update scope: Module update type:	formation date will stop ElecRoc. If you un s process will change the modu Specific user Update existing module	nplug the dongle or the power is a les or functions in the dongle, are <u>Yes No</u> For specific user:	off, maybe the dongle will be distorted. a you sure to continue? 95 19 97 00 00 00 40 6d
Package information – Update scope: Module update type: Valid type:	formation date will stop ElecRoc. If you un s process will change the modu Specific user Update existing module Valid permanently	nplug the dongle or the power is les or functions in the dongle, are <u>Yes</u> <u>No</u> For specific user: Major Version:	off, maybe the dongle will be distorted. a you sure to continue? 95 19 97 00 00 00 40 6d
Important In Package information – Update scope: Module update type: Valid type:	formation date will stop ElecRoc. If you un s process will change the modu Specific user Update existing module Valid permanently	nplug the dongle or the power is les or functions in the dongle, are <u>Yes No</u> For specific user: Major Version: Minor version:	off, maybe the dongle will be distorted. a you sure to continue? 95 19 97 00 00 00 40 6d

STEP 5:

If click Yes on step 4, the Update Result window will pop up, as following, to show the update is successful. And please click OK, then click Close button to exit.

Update Result	×
Install package successfu Please click OK, then click processors in this packag	lly! Close to configure e.
	OK

If the Processor Configuration window appears, please click 🗵 to exit.

STEP 7:

Uninstall ElecRoc 5 Server. Please be sure to backup the jobs and resources of ElecRoc, and then run Add or Remove Programs from Start\Control Panel. Select Founder ElecRoc 5 Server and click Remove.



STEP 9:

Remove the ElecRoc 5 Client from client computer.

STEP 10:

Install ElecRoc 5 according to the installation guider.

end